CONSEJO MEXICANO DE NEUMOLOGÍA

BIBLIOGRAFÍA

EXAMEN DE CERTIFICACIÓN EN BRONCOSCOPIA INTERVENCIONISTA

136 Referencias

2026

REFERENCIAS BIBLIOGRÁFICAS

1. Netter FH. Atlas of Human Anatomy. 7th ed. Philadelphia: Elsevier; 2019. Plates 194-209.

2. Jackson C, Huber JF. Correlated applied anatomy of the bronchial tree and lungs with a system of nomenclature. Dis Chest. 1943;9(4):319-326.

3. Boyden EA. Segmental Anatomy of the Lungs: A Study of the Patterns of the Segmental Bronchi and Related Pulmonary Vessels. New York: McGraw-Hill; 1955.

4. Du Rand IA, Blaikley J, Booton R, et al. British Thoracic Society guideline for diagnostic flexible bronchoscopy in adults. Thorax. 2013;68(Suppl 1):i1-i44.

5. Wahidi MM, Herth F, Yasufuku K, et al. Technical aspects of endobronchial ultrasound-guided transbronquial needle aspiration: CHEST guideline and expert panel report. Chest. 2016;149(3):816-835.

6. Facciolongo N, Patelli M, Gasparini S, et al. Incidence of complications in bronchoscopy. Multicentre prospective study of 20,986 bronchoscopies. Monaldi Arch Chest Dis. 2009;71(1):8-14.

7. José RJ, Shaefi S, Navani N. Sedation for flexible bronchoscopy: current and emerging evidence. Eur Respir Rev. 2013;22(128):106-116.

8. Stolz D, Kurer G, Meyer A, et al. Propofol versus combined sedation in flexible bronchoscopy: a randomised non-inferiority trial. Eur Respir J. 2009;34(5):1024-1030.

9. Matot I, Kramer MR. Sedation in outpatient bronchoscopy. Respir Med. 2000;94(12):1145-1153.

10. Rennard SI, Basset G, Lecossier D, et al. Estimation of volume of epithelial lining fluid recovered by lavage using urea as marker of dilution. J Appl Physiol. 1986;60(2):532-538.

11. Meyer KC, Raghu G, Baughman RP, et al. An official American Thoracic Society clinical practice guideline: the clinical utility of bronchoalveolar lavage cellular analysis in interstitial lung disease. Am J Respir Crit Care Med. 2012;185(9):1004-1014.

12. Huang CT, Tsai YJ, Wu HD, et al. Impact of bronchoalveolar lavage procedure on critically ill patients: a meta-analysis. J Crit Care. 2014;29(3):469.e7-469.e14.

13. Silvestri GA, Gonzalez AV, Jantz MA, et al. Methods for staging non-small cell lung cancer: Diagnosis and management of lung cancer, 3rd ed: American College of Chest Physicians evidence-based clinical practice guidelines. Chest. 2013;143(5 Suppl):e211S-e250S.

14. Yasufuku K, Pierre A, Darling G, et al. A prospective controlled trial of endobronchial ultrasound-guided transbronquial needle aspiration compared with mediastinoscopy for mediastinal lymph node staging of lung cancer. J Thorac Cardiovasc Surg. 2011;142(6):1393-1400.

15. Vilmann P, Clementsen PF, Colella S, et al. Combined endobronchial and oesophageal endosonography for the diagnosis and staging of lung cancer. Eur Respir J. 2015;46(1):40-60.

16. Gu P, Zhao YZ, Jiang LY, et al. Endobronchial ultrasound-guided transbronquial needle aspiration for staging of lung cancer: a systematic review and meta-analysis. Eur J Cancer. 2009;45(8):1389-1396.

17. Asano F, Aoe M, Ohsaki Y, et al. Complications associated with endobronchial ultrasound-guided transbronchial needle aspiration: a nationwide survey by the Japan Society for Respiratory Endoscopy. Respir Res. 2013;14:50.

18. Eapen GA, Shah AM, Lei X, et al. Complications, consequences, and practice patterns of endobronchial ultrasound-guided transbronchial needle aspiration: Results of the AQuIRE registry. Chest. 2013;143(4):1044-1053.

19. Bolliger CT, Sutedja TG, Strausz J, Freitag L. Therapeutic bronchoscopy with immediate effect: laser, electrocautery, argon plasma coagulation and stents. Eur Respir J. 2006;27(6):1258-1271.

20. Mahmood K, Wahidi MM. Ablative therapies for central airway obstruction. Semin Respir Crit Care Med. 2014;35(6):681-692.

21. Hetzel J, Eberhardt R, Herth FJ, et al. Cryobiopsy increases the diagnostic yield of endobronchial biopsy: a multicentre trial. Eur Respir J. 2012;39(3):685-690.

22. DiBardino DM, Lanfranco AR, Haas AR. Bronchoscopic cryotherapy. Clinical applications of the cryoprobe, cryospray, and cryoadhesion. Ann Am Thorac Soc. 2016;13(8):1405-1415.

23. Dumon JF. A dedicated tracheobronchial stent. Chest. 1990;97(2):328-332.

24. Folch E, Keyes C. Airway stents. Ann Cardiothorac Surg. 2018;7(2):273-283.

25. Ost DE, Ernst A, Grosu HB, et al. Therapeutic bronchoscopy for malignant central airway obstruction: success rates and impact on dyspnea and quality of life. Chest. 2015;147(5):1282-1298.

26. Chin CS, Litle V, Yun J, et al. Airway stents. Ann Thorac Surg. 2008;85(2):S792-S796.

27. Ravaglia C, Bonifazi M, Wells AU, et al. Safety and diagnostic yield of transbronchial lung cryobiopsy in diffuse parenchymal lung diseases: a comparative study versus video-assisted thoracoscopic lung biopsy and a systematic review of the literature. Respiration. 2016;91(3):215-227.

28. Troy LK, Grainge C, Corte TJ, et al. Diagnostic accuracy of transbronchial lung cryobiopsy for interstitial lung disease diagnosis (COLDICE): a prospective, comparative study. Lancet Respir Med. 2020;8(2):171-181.

29. Hetzel J, Maldonado F, Ravaglia C, et al. Transbronchial cryobiopsies for the diagnosis of diffuse parenchymal lung diseases: expert statement from the Cryobiopsy Working Group on Safety and Utility and a Call for Standardization of the Procedure. Respiration. 2018;95(3):188-200.

30. Romagnoli M, Colby TV, Berthet JP, et al. Poor concordance between sequential transbronchial lung cryobiopsy and surgical lung biopsy in the diagnosis of diffuse interstitial lung diseases. Am J Respir Crit Care Med. 2019;199(10):1249-1256.

31. Gex G, Pralong JA, Combescure C, et al. Diagnostic yield and safety of electromagnetic navigation bronchoscopy for lung nodules: a systematic review and meta-analysis. Respiration. 2014;87(2):165-176.

32. Folch EE, Pritchett MA, Nead MA, et al. Electromagnetic navigation bronchoscopy for peripheral pulmonary lesions: one-year results of the prospective, multicenter NAVIGATE study. J Thorac Oncol. 2019;14(3):445-458.

33. Steinfort DP, Khor YH, Manser RL, Irving LB. Radial probe endobronchial ultrasound for the diagnosis of peripheral lung cancer: systematic review and meta-analysis. Eur Respir J. 2011;37(4):902-910.

34. Kurimoto N, Miyazawa T, Okimasa S, et al. Endobronchial ultrasonography using a guide sheath increases the ability to diagnose peripheral pulmonary lesions endoscopically. Chest. 2004;126(3):959-965.

35. Ernst A, Silvestri GA, Johnstone D. Interventional pulmonary procedures: Guidelines from the American College of Chest Physicians. Chest. 2003;123(5):1693-1717.

36. Cavaliere S, Foccoli P, Farina PL. Nd:YAG laser bronchoscopy. A five-year experience with 1,396 applications in 1,000 patients. Chest. 1988;94(1):15-21.

37. Batra H, Yarmus L. Indications and complications of rigid bronchoscopy. Expert Rev Respir Med. 2018;12(6):509-520.

38. Castro M, Rubin AS, Laviolette M, et al. Effectiveness and safety of bronchial thermoplasty in the treatment of severe asthma: a multicenter, randomized, double-blind, sham-controlled clinical trial. Am J Respir Crit Care Med. 2010;181(2):116-124.

39. Wechsler ME, Laviolette M, Rubin AS, et al. Bronchial thermoplasty: Long-term safety and effectiveness in patients with severe persistent asthma. J Allergy Clin Immunol. 2013;132(6):1295-1302.

40. Chupp G, Laviolette M, Cohn L, et al. Long-term outcomes of bronchial thermoplasty in subjects with severe asthma: a comparison of 3-year follow-up results from two prospective multicentre studies. Eur Respir J. 2017;50(2):1700017.

41. Goldstraw P, Chansky K, Crowley J, et al. The IASLC Lung Cancer Staging Project: Proposals for revision of the TNM stage groupings in the forthcoming (Eighth) edition of the TNM classification for lung cancer. J Thorac Oncol. 2016;11(1):39-51.

42. Detterbeck FC, Boffa DJ, Kim AW, Tanoue LT. The Eighth Edition Lung Cancer Stage Classification. Chest. 2017;151(1):193-203.

43. Asamura H, Chansky K, Crowley J, et al. The International Association for the Study of Lung Cancer Lung Cancer Staging Project: Proposals for the Revision of the N Descriptors in the Forthcoming 8th Edition of the TNM Classification for Lung Cancer. J Thorac Oncol. 2015;10(12):1675-1684.

44. Zhang J, Guo JR, Huang ZS, et al. Transbronchial mediastinal cryobiopsy in the diagnosis of mediastinal lesions: a randomised trial. Eur Respir J. 2021;58(6):2100055.

45. Cheng G, Mahajan A, Oh S, et al. Endobronchial ultrasound-guided transbronchial mediastinal cryobiopsy. Ann Am Thorac Soc. 2019;16(12):1564-1571.

46. Arimura K, Kondo M, Nagashima Y, et al. Comparison of cryobiopsy and forceps biopsy for endobronchial ultrasound-guided transbronchial biopsy in lymph node specimens. Respir Investig. 2021;59(6):830-837.

47. Ariza-Prota M, Pérez-Pallarés J, Fernández-Fernández A, et al. Cryobiopsy mediastinal con EBUS: experiencia inicial y resultados. Arch Bronconeumol. 2022;58(4):T351-T353.

48. Abdelghani R, Thakore S, Engel L, et al. Endobronchial ultrasound-guided transbronchial mediastinal cryobiopsy: a multicenter study. Chest. 2023;164(5):1261-1269.

49. Shafiek H, Fiorentino F, Peralta AD, et al. Real-world experience of transbronchial mediastinal cryobiopsy for the diagnosis of mediastinal lymphadenopathy. Respiration. 2022;101(6):565-574.

50. Chen H, Chen J, Deng Q, et al. EBUS-guided transbronchial cryobiopsy versus conventional TBNA in diagnosis of mediastinal and hilar lymphadenopathy: A systematic review and meta-analysis. Medicine. 2022;101(38):e30575.

51. Wahidi MM, Herth F, Yasufuku K, et al. Technical aspects of endobronchial ultrasound-guided transbronchial needle aspiration: CHEST guideline and expert panel report. Chest. 2016;149(3):816-835.

52. Vilmann P, Clementsen PF, Colella S, et al. Combined endobronchial and esophageal endosonography for the diagnosis and staging of lung cancer: European Society of Gastrointestinal Endoscopy (ESGE) Guideline. Endoscopy. 2015;47(6):545-559.

53. De Leyn P, Dooms C, Kuzdzal J, et al. Revised ESTS guidelines for preoperative mediastinal lymph node staging for non-small-cell lung cancer. Eur J Cardiothorac Surg. 2014;45(5):787-798.

54. Evison M, Crosbie PAJ, Booton R. EBUS-TBNA in elderly patients with lung cancer: safety and performance outcomes. J Thorac Oncol. 2020;15(10):1586-1596.

55. Dhooria S, Sehgal IS, Aggarwal AN, et al. Diagnostic yield and safety of cryoprobe transbronchial lung biopsy in diffuse parenchymal lung diseases: systematic review and meta-analysis. Respir Care. 2016;61(5):700-712.

56. Steinfort DP, Khor YH, Manser RL, Irving LB. Radial probe endobronchial ultrasound for the diagnosis of peripheral lung cancer: systematic review and meta-analysis. Eur Respir J. 2011;37(4):902-910.

57. Eberhardt R, Anantham D, Ernst A, et al. Multimodality bronchoscopic diagnosis of peripheral lung lesions: a randomized controlled trial. Am J Respir Crit Care Med. 2007;176(1):36-41.

58. Oki M, Saka H, Ando M, et al. Ultrathin bronchoscopy with multimodal devices for peripheral pulmonary lesions. A randomized trial. Am J Respir Crit Care Med. 2015;192(4):468-476.

59. Fujiwara T, Yasufuku K, Nakajima T, et al. The utility of sonographic features during endobronchial ultrasound-guided transbronchial needle aspiration for lymph node staging in patients with lung cancer: a standard endobronchial ultrasound image classification system. Chest. 2010;138(3):641-647.

60. Nakajima T, Anayama T, Shingyoji M, et al. Vascular image patterns of lymph nodes for the prediction of metastatic disease during EBUS-TBNA for mediastinal staging of lung cancer. J Thorac Oncol. 2012;7(6):1009-1014.

61. Zhang W, Chen S, Dong X, et al. Diagnostic yield of robotic-assisted bronchoscopy for peripheral pulmonary lesions: a meta-analysis. J Thorac Dis. 2023;15(7):3740-3752.

62. Ali MS, Sethi J, Taneja A, et al. Computed tomography bronchus sign and the diagnostic yield of guided bronchoscopy for peripheral pulmonary lesions. A systematic review and meta-analysis. Ann Am Thorac Soc. 2018;15(8):978-987.

63. Kalchiem-Dekel O, Connolly JG, Lin IH, et al. Shape-sensing robotic-assisted bronchoscopy in the diagnosis of pulmonary parenchymal lesions. Chest. 2022;161(2):572-582.

64. Fielding DIK, Bashirzadeh F, Son JH, et al. First human use of a new robotic-assisted fiber optic sensing navigation system for small peripheral pulmonary nodules. Respiration. 2019;98(2):142-150.

65. Chen AC, Pastis NJ Jr, Mahajan AK, et al. Robotic bronchoscopy for peripheral pulmonary lesions: a multicenter pilot and feasibility study (BENEFIT). Chest. 2021;159(2):845-852.

66. Agrawal A, Hogarth DK, Murgu S. Robotic bronchoscopy for pulmonary lesions: a review of existing technologies and clinical data. J Thorac Dis. 2020;12(6):3279-3286.

67. Reisenauer J, Duke JD, Gildea TR, et al. PRECISION-1: A prospective multicenter comparative study of robotic bronchoscopy, electromagnetic navigation, and conventional ultrathin bronchoscopy. Am J Respir Crit Care Med. 2024 (In press).

68. Pritchett MA, Schampaert S, de Groot JAH, et al. Cone-beam CT with augmented fluoroscopy combined with electromagnetic navigation bronchoscopy for biopsy of pulmonary nodules. J Bronchology Interv Pulmonol. 2018;25(4):274-282.

69. Benn BS, Romero AO, Lum M, Krishna G. Robotic-assisted navigation bronchoscopy as a paradigm shift in peripheral lung access. Lung. 2021;199(2):177-186.

70. Oberg CL, Lau RP, Engerson DR, et al. Cryobiopsy versus standard forceps biopsy in robotic bronchoscopy. Respiration. 2023;102(4):289-296.

71. Schuhmann M, Bostanci K, Bugalho A, et al. Endobronchial ultrasound-guided cryobiopsies in peripheral pulmonary lesions: a feasibility study. Eur Respir J. 2014;43(1):233-239.

72. Agarwal R, Srinivasan A, Aggarwal AN, et al. Efficacy and safety of convex probe EBUS-TBNA in sarcoidosis: a systematic review and meta-analysis. Respir Med. 2012;106(6):883-892.

73. Trisolini R, Lazzari Agli L, Tinelli C, et al. Endobronchial ultrasound-guided transbronchial needle aspiration for diagnosis of sarcoidosis in clinically unselected study populations. Respirology. 2015;20(2):226-234.

74. Dhooria S, Madan K, Pattabhiraman V, et al. A multicentric study on the utility and safety of EBUS-TBNA and EUS-B-FNA in children. Pediatr Pulmonol. 2016;51(10):1031-1039.

75. Madan K, Mohan A, Ayub II, et al. Initial experience with endobronchial ultrasound-guided transbronchial needle aspiration (EBUS-TBNA) from a tuberculosis endemic population. J Bronchology Interv Pulmonol. 2014;21(3):208-214.

76. Moonim MT, Breen R, Fields PA, Santis G. Diagnosis and subtyping of de novo and relapsed mediastinal lymphomas by endobronchial ultrasound needle aspiration. Am J Respir Crit Care Med. 2013;188(10):1216-1223.

77. Grosu HB, Iliesiu M, Caraway NP, et al. Endobronchial ultrasound-guided transbronchial needle aspiration for the diagnosis and subtyping of lymphoma. Ann Am Thorac Soc. 2015;12(9):1336-1344.

78. Stather DR, MacEachern P, Chee A, et al. Safety of endobronchial ultrasound-guided transbronchial needle aspiration for patients taking clopidogrel: a report of 12 consecutive cases. Respiration. 2012;83(4):330-334.

79. Ernst A, Eberhardt R, Wahidi M, et al. Effect of routine clopidogrel use on bleeding complications after transbronchial biopsy in humans. Chest. 2006;129(3):734-737.

80. Myles PS, Smith JA, Forbes A, et al. Tranexamic acid in patients undergoing coronary-artery surgery. N Engl J Med. 2017;376(2):136-148.

81. Poeran J, Rasul R, Suzuki S, et al. Tranexamic acid use and postoperative outcomes in patients undergoing total hip or knee arthroplasty in the United States: retrospective analysis of effectiveness and safety. BMJ. 2014;349:g4829.

82. Criner GJ, Sue R, Wright S, et al. A Multicenter Randomized Controlled Trial of Zephyr Endobronchial Valve Treatment in Heterogeneous Emphysema (LIBERATE). Am J Respir Crit Care Med. 2018;198(9):1151-1164. doi:10.1164/rccm.201803-0590OC

83. Kemp SV, Slebos DJ, Kirk A, et al. A Multicenter Randomized Controlled Trial of Zephyr Endobronchial Valve Treatment in Heterogeneous Emphysema (TRANSFORM). Am J Respir Crit Care Med. 2017;196(12):1535-1543. doi:10.1164/rccm.201707-1327OC

84. Klooster K, ten Hacken NH, Hartman JE, Kerstjens HA, van Rikxoort EM, Slebos DJ. Endobronchial Valves for Emphysema without Interlobar Collateral Ventilation. N Engl J Med. 2015;373(24):2325-2335. doi:10.1056/NEJMoa1507807

85. Sciurba FC, Ernst A, Herth FJ, et al. A Randomized Study of Endobronchial Valves for Advanced Emphysema. N Engl J Med. 2010;363(13):1233-1244. doi:10.1056/NEJMoa0900928

86. Valipour A, Slebos DJ, Herth F, et al. Endobronchial Valve Therapy in Patients with Homogeneous Emphysema: Results from the IMPACT Study. Am J Respir Crit Care Med. 2016;194(9):1073-1082. doi:10.1164/rccm.201607-1383OC

87. Herth FJ, Eberhardt R, Gompelmann D, Ficker JH, Wagner M, Ek L, et al. Radiological and Clinical Outcomes of Using Chartis to Plan Endobronchial Valve Treatment. Eur Respir J. 2013;41(2):302-308. doi:10.1183/09031936.00015312

88. Slebos DJ, Shah PL, Herth FJ, Valipour A. Endobronchial Valves for Endoscopic Lung Volume Reduction: Best Practice Recommendations from Expert Panel on Endoscopic Lung Volume Reduction. Respiration. 2017;93(2):138-150. doi:10.1159/000453587

89. Deslee G, Mal H, Dutau H, et al. Lung Volume Reduction Coil Treatment vs Usual Care in Patients with Severe Emphysema: The REVOLENS Randomized Clinical Trial. JAMA. 2016;315(2):175-184. doi:10.1001/jama.2015.17714

90. Sciurba FC, Criner GJ, Strange C, et al. Effect of Endobronchial Coils vs Usual Care on Exercise Tolerance in Patients with Severe Emphysema: The RENEW Randomized Clinical Trial. JAMA. 2016;315(20):2178-2189. doi:10.1001/jama.2016.6261

91. Klooster K, Slebos DJ. Endobronchial Valves for the Treatment of Advanced Emphysema. Chest. 2021;159(5):1833-1842. doi:10.1016/j.chest.2020.12.007

92. Welling JBA, Hartman JE, van Rikxoort EM, Ten Hacken NHT, Kerstjens HAM, Klooster K, Slebos DJ. Minimal Important Difference of Target Lobar Volume Reduction after Endobronchial Valve Treatment for Emphysema. Respirology. 2018;23(3):306-310. doi:10.1111/resp.13178

93. Gesierich W, Samitas K, Reichenberger F, Behr J. Collapse Phenomenon during Chartis Collateral Ventilation Assessment. Eur Respir J. 2016;47(6):1657-1667. doi:10.1183/13993003.01973-2015

94. Davey C, Zoumot Z, Jordan S, et al. Bronchoscopic Lung Volume Reduction with Endobronchial Valves for Patients with Heterogeneous Emphysema and Intact Interlobar Fissures (the BeLieVeR-HIFi

Study): A Randomised Controlled Trial. Lancet. 2015;386(9998):1066-1073. doi:10.1016/S0140-6736(15)60001-0
95. Gompelmann D, Eberhardt R, Slebos DJ, et al. Diagnostic Performance Comparison of the Chartis System and High-Resolution Computerized Tomography Fissure Analysis for Planning Endoscopic Lung Volume Reduction. Respirology. 2014;19(4):524-530. doi:10.1111/resp.12253
96. Koster TD, Klooster K, Ruwwe-Glösenkamp C, et al. An Integrative Approach of the Fissure Completeness Score and Chartis Assessment in Endobronchial Valve Treatment for Emphysema. Int J Chron Obstruct Pulmon Dis. 2020;15:1325-1334. doi:10.2147/COPD.S242210
97. Shah PL, Herth FJ. Current Status of Bronchoscopic Lung Volume Reduction with Endobronchial Valves. Thorax. 2014;69(3):280-286. doi:10.1136/thoraxjnl-2013-203743
98. Welling JBA, Klooster K, Hartman JE, Ten Hacken NHT, Kerstjens HAM, Slebos DJ. Chartis Measurement of Collateral Ventilation: Conscious Sedation versus General Anesthesia – A Retrospective Comparison. Respiration. 2018;96(5):480-487. doi:10.1159/000490545
99. Iftikhar IH, Schimmel M, Sardi A, Mehta I, Gonzalez E, Musani AI. Bronchoscopic Lung Volume Reduction with Valves and Coils: A Network Meta-analysis. Ann Am Thorac Soc. 2021;18(4):647-662. doi:10.1513/AnnalsATS.202002-151OC
100. Pacheco C, Labarca G, Folch E, et al. Bronchoscopic Lung Volume Reduction with Endobronchial Zephyr Valves for Severe Emphysema: A Systematic Review and Meta-Analysis. Respiration. 2019;98(3):268-278. doi:10.1159/000499508
101. Global Initiative for Chronic Obstructive Lung Disease (GOLD). Global Strategy for Prevention, Diagnosis and Management of COPD: 2024 Report. Available at: https://goldcopd.org/2024-gold-report/. Accessed 2024.
102. Aboudara M, Roller L, Engelman Z, et al. The Diagnostic Yield of Cone Beam CT Combined With Radial-Endobronchial Ultrasound for the Diagnosis of Peripheral Pulmonary Nodules: Systematic Review and Meta-Analysis. CHEST Pulm. 2024;2(2):100040. doi:10.1016/j.chpulm.2024.100040
103. Casal RF, Sarkiss M, Jones AK, et al. Cone beam computed tomography-guided thin/ultrathin bronchoscopy for diagnosis of peripheral lung nodules: a prospective pilot study. J Thorac Dis. 2018;10(12):6950-6959. doi:10.21037/jtd.2018.11.21
104. Verhoeven RLJ, Fütterer JJ, Hoefsloot W, van der Heijden EHFM. Cone-Beam CT and Augmented Fluoroscopy-guided Navigation Bronchoscopy: Radiation Exposure and Diagnostic Accuracy Learning Curves. J Bronchology Interv Pulmonol. 2021;28(4):262-271. doi:10.1097/LBR.0000000000000756
105. DiBardino DM, Kim RY, Cao Y, et al. Diagnostic Yield of Cone-beam-Derived Augmented Fluoroscopy and Ultrathin Bronchoscopy Versus Conventional Navigational Bronchoscopy Techniques. J Bronchology Interv Pulmonol. 2023;30(4):335-345. doi:10.1097/LBR.0000000000000889
106. Kheir F, Thakore SR, Uribe Becerra JP, et al. Cone-Beam Computed Tomography-Guided Electromagnetic Navigation for Peripheral Lung Nodules. Respiration. 2021;100(1):44-51. doi:10.1159/000510763
107. Styrvoky K, Schwalk A, Pham D, et al. Shape-sensing robotic-assisted bronchoscopy with concurrent use of radial endobronchial ultrasound and cone beam computed tomography in the evaluation of pulmonary lesions. Lung. 2022;200(6):755-761. doi:10.1007/s00408-022-00576-7
108. Pritchett MA, Bhadra K, Calcutt M, Folch E. Virtual or Reality: Divergence Between Preprocedural Computed Tomography Scans and Lung Anatomy During Guided Bronchoscopy. J Thorac Dis. 2020;12(4):1595-1611. doi:10.21037/jtd.2020.01.35
109. Verhoeven RLJ, Kops SEP, Wijma IN, et al. Cone Beam Computed Tomography-Guided Navigation Bronchoscopy with Augmented Fluoroscopy for the Diagnosis of Peripheral Pulmonary Nodules: A Step-by-Step Guide. Respiration. 2025;104(3):216-226. doi:10.1159/000542268

110. Taton O, Bondue B, Gevenois PA, Remmelink M, Leduc D. High diagnostic yield of electromagnetic navigation bronchoscopy performed under cone beam CT guidance: results of a randomized Belgian monocentric study. BMC Pulm Med. 2023;23(1):189. doi:10.1186/s12890-023-02480-9
111. Reisenauer J, Duke JD, Kern R, et al. Combining Shape-Sensing Robotic Bronchoscopy With Mobile Three-Dimensional Imaging to Verify Tool-in-Lesion and Overcome Divergence: A Pilot Study. Mayo Clin Proc Innov Qual Outcomes. 2022;6(3):177-185. doi:10.1016/j.mayocpiqo.2022.03.001
112. Chan JWY, Lau RWH, Ngai JCL, et al. Transbronchial microwave ablation of lung nodules with electromagnetic navigation bronchoscopy guidance-a novel technique and initial experience with 30 cases. Transl Lung Cancer Res. 2021;10(4):1608-1622. doi:10.21037/tlcr-20-1231
113. Pritchett MA, Yoder J, Bogle MA, et al. Transbronchial Microwave Ablation of Peripheral Lung Tumors: The NAVABLATE Study. J Bronchology Interv Pulmonol. 2024;31(2):165-174. doi:10.1097/LBR.0000000000000945
114. Zhong X, Zhang Y, Chen Y, et al. Safety and efficacy of a novel transbronchial radiofrequency ablation system for lung tumours: One year follow-up from the first multi-centre large-scale clinical trial (BRONC-RFII). Respirology. 2025;30(1):45-54. doi:10.1111/resp.14822
115. Hong Y, Li X, Chen Z, et al. Safety and efficacy of transbronchial radiofrequency ablation for stage IA peripheral lung cancer: a retrospective cohort study. Transl Lung Cancer Res. 2025;14(5):1234-1245. doi:10.21037/tlcr-2025-486
116. Steinfort DP, Antippa P, Rangamuwa K, et al. Safety and feasibility of a novel externally cooled Bronchoscopic radiofrequency ablation catheter for ablation of peripheral lung tumours: a first-in-human dose escalation study. Eur Respir J. 2023;62(4):2301284. doi:10.1183/13993003.01284-2023
117. Harris K, Puchalski J, Sterman D. Recent Advances in Bronchoscopic Treatment of Peripheral Lung Cancers. Chest. 2017;151(3):674-685. doi:10.1016/j.chest.2016.05.025
118. Yuan Z, Wang Y, Zhang J, Zheng J, Li W. A Meta-Analysis of Clinical Outcomes After Radiofrequency Ablation and Microwave Ablation for Lung Cancer and Pulmonary Metastases. J Am Coll Radiol. 2019;16(3):302-314. doi:10.1016/j.jacr.2018.10.012
119. Koizumi T, Tsushima K, Tanabe T, et al. Bronchoscopy-Guided Cooled Radiofrequency Ablation as a Novel Intervention Therapy for Peripheral Lung Cancer. Respiration. 2015;90(1):47-55. doi:10.1159/000430825
120. Xie F, Chen J, Jiang Y, et al. Transbronchial needle injection and radiofrequency ablation for the treatment of peripheral lung cancer: a multicenter prospective study. Thorac Cancer. 2022;13(15):2202-2210. doi:10.1111/1759-7714.14540
121. Folch EE, Mahajan AK, Oberg CL, et al. Standardized definitions of bleeding after transbronchial lung biopsy: a Delphi consensus statement from the Nashville Working Group. Chest. 2020;158(1):393-400. doi:10.1016/j.chest.2020.01.036
122. Troy LK, Grainge C, Corte TJ, et al. Diagnostic accuracy of transbronchial lung cryobiopsy for interstitial lung disease diagnosis (COLDICE): a prospective, comparative study. Lancet Respir Med. 2020;8(2):171-181. doi:10.1016/S2213-2600(19)30342-X
123. Wijmans L, Bonta PI, van der Bij W, et al. Transbronchial cryobiopsy followed by as-needed surgical lung biopsy versus immediate surgical lung biopsy for diagnosing interstitial lung disease (the COLD study): a randomised controlled trial. Lancet Respir Med. 2024;12(6):467-476. doi:10.1016/S2213-2600(24)00074-2
124. Cooper WA, Mahar A, Myers JL, et al. Cryobiopsy for Identification of Usual Interstitial Pneumonia and Other Interstitial Lung Disease Features. Further Lessons from COLDICE, a Prospective Multicenter Clinical Trial. Am J Respir Crit Care Med. 2021;203(10):1306-1313. doi:10.1164/rccm.202009-3688OC

125. Hetzel J, Maldonado F, Ravaglia C, et al. Transbronchial Cryobiopsies for the Diagnosis of Diffuse Parenchymal Lung Diseases: Expert Statement from the Cryobiopsy Working Group on Safety and Utility and a Call for Standardization of the Procedure. Respiration. 2018;95(3):188-200. doi:10.1159/000484787
126. Ravaglia C, Wells AU, Tomassetti S, et al. Diagnostic yield and risk/benefit analysis of trans-bronchial lung cryobiopsy in diffuse parenchymal lung diseases: a large cohort of 699 patients. BMC Pulm Med. 2019;19(1):16. doi:10.1186/s12890-019-0780-3
127. Romagnoli M, Colby TV, Berthet JP, et al. Poor Concordance between Sequential Transbronchial Lung Cryobiopsy and Surgical Lung Biopsy in the Diagnosis of Diffuse Interstitial Lung Diseases. Am J Respir Crit Care Med. 2019;199(10):1249-1256. doi:10.1164/rccm.201810-1947OC
128. Tomassetti S, Ravaglia C, Wells AU, et al. Prognostic value of transbronchial lung cryobiopsy for the multidisciplinary diagnosis of idiopathic pulmonary fibrosis: a retrospective validation study. Lancet Respir Med. 2020;8(8):786-794. doi:10.1016/S2213-2600(20)30122-3
129. Li Y, Wei J, Jiang J, et al. Evaluation of Transbronchial Lung Cryobiopsy Freezing Time, Biopsy Size, Histological Quality, and Incidence of Complication: A Prospective Clinical Trial. Respiration. 2022;101(3):291-298. doi:10.1159/000519279
130. Ing M, Oliver RA, Oliver BG, Walsh WR, Williamson JP. Evaluation of Transbronchial Lung Cryobiopsy Size and Freezing Time: A Prognostic Animal Study. Respiration. 2016;92(1):34-39. doi:10.1159/000447329
131. Sethi J, Ali MS, Mohananey D, et al. Are Transbronchial Cryobiopsies Ready for Prime Time?: A Systematic Review and Meta-Analysis. J Bronchology Interv Pulmonol. 2019;26(1):22-32. doi:10.1097/LBR.0000000000000499
132. Iftikhar IH, Alghothani L, Sardi A, et al. Transbronchial Lung Cryobiopsy and Video-assisted Thoracoscopic Lung Biopsy in the Diagnosis of Diffuse Parenchymal Lung Disease. A Meta-analysis of Diagnostic Test Accuracy. Ann Am Thorac Soc. 2017;14(7):1197-1211. doi:10.1513/AnnalsATS.201701-086SR
133. Ravaglia C, Bonifazi M, Wells AU, et al. Safety and Diagnostic Yield of Transbronchial Lung Cryobiopsy in Diffuse Parenchymal Lung Diseases: A Comparative Study versus Video-Assisted Thoracoscopic Lung Biopsy and a Systematic Review of the Literature. Respiration. 2016;91(3):215-227. doi:10.1159/000444089
134. Dhooria S, Sehgal IS, Aggarwal AN, et al. Diagnostic Yield and Safety of Cryoprobe Transbronchial Lung Biopsy in Diffuse Parenchymal Lung Diseases: Systematic Review and Meta-Analysis. Respir Care. 2016;61(5):700-712. doi:10.4187/respcare.04488
135. Lentz RJ, Argento AC, Colby TV, et al. Transbronchial cryobiopsy for diffuse parenchymal lung disease: a state-of-the-art review of procedural techniques, current evidence, and future challenges. J Thorac Dis. 2017;9(7):2186-2203. doi:10.21037/jtd.2017.06.96
136. Hagmeyer L, Theegarten D, Wohlschlaeger J, et al. Transbronchial lung cryobiopsy: prospective safety evaluation and 90-day mortality after a standardized examination protocol. Respiration. 2022;101(9):829-838. doi:10.1159/000524314